



DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service

SEP 1 1999

Food and Drug Administration  
9200 Corporate Boulevard  
Rockville MD 20850

A&D Medical Division  
c/o Mr. Robert Mosenkis  
President  
CITECH  
5200 Butler Pike  
Plymouth Meeting, PA 19462

Re: K992808  
A&D Medical TM-2430 and TM 2431 Ambulatory Blood Pressure  
Monitors  
Regulatory Class: II (Two)  
Product Code: 74 DXN  
Dated: August 19, 1999  
Received: August 20, 1999

Dear Mr. Mosenkis:

We have reviewed your Section 510(k) notification of intent to market the device referenced above and we have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (Premarket Approval), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 895. A substantially equivalent determination assumes compliance with the Current Good Manufacturing Practice requirements, as set forth in the Quality System Regulation (QS) for Medical Devices: General regulation (21 CFR Part 820) and that, through periodic QS inspections, the Food and Drug Administration (FDA) will verify such assumptions. Failure to comply with the GMP regulation may result in regulatory action. In addition, FDA may publish further announcements concerning your device in the Federal Register. Please note: this response to your premarket notification submission does not affect any obligation you might have under sections 531 through 542 of the Act for devices under the Electronic Product Radiation Control provisions, or other Federal laws or regulations.

Page 2 - Mr. Robert Mosenkis

This letter will allow you to begin marketing your device as described in your 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4648. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its internet address "<http://www.fda.gov/cdrh/dsma/dsmamain.html>".

Sincerely yours,

A handwritten signature in black ink, reading "Thomas J. Callahan". The signature is fluid and cursive, with the first name "Thomas" being the most prominent part.

Thomas J. Callahan, Ph.D.  
Director  
Division of Cardiovascular, Respiratory  
and Neurological Devices  
Office of Device Evaluation  
Center for Devices and  
Radiological Health

Enclosure

Aug-31-99 08:28A A&amp;D Service

1-408-941-0573

P.02

510(k) Number (if known): K 992808Device Name: TM-2430 and TM-2431 Ambulatory Blood Pressure Monitors**Indications for Use:**

The models TM-2430 and TM-2431 will be referred to as TM-2430/31 except where specific differences occur. The TM-2430/31 Ambulatory Blood Pressure Monitors are designed to monitor systolic and diastolic blood pressure, and pulse rate of adults who are eighteen (18) years and older using the oscillometric method.

(PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON ANOTHER PAGE IF NEEDED)

---

Concurrence of CDRH, Office of Device Evaluation (ODE)


---

Prescription Use X

or

Over-The-Counter Use \_\_\_\_\_

(Optional Format 1-2-96)

  
(Division Sign-Off)Division of Cardiovascular, Respiratory,  
and Neurological Devices510(k) Number K 992808